




**2016 CA RESIDENTIAL
CODE R502.3**



TABLE NAILING
SCHEDULE R 602.3(1)

1-INCH BY 4-INCH
LEFT-IN RIBBON STRIP.
RECOMMEND
ATTACHMENT WITH
TWO 8d COMMON OR
BOX NAILS AT EACH
STUD (SIMILAR TO
ITEM 20. TABLE
2304.9.1

RECOMMENDED FACE NAIL-
EACH JOIST LAPPED WITH
ADJACENT STUD WITH THREE
16d COMMON OR BOX NAILS
(SIMILAR TO ITEM 29.
TABLE R602.3(1)




JOISTS BEARING ON RIBBON STRIP




JOISTS SUPPORTED BY APPROVED ANCHORS


RECOMMEND THREE 8d COMMON
OR BOX NAILS EACH END WITH METAL
STRAP, OR THREE 16d COMMON OR
BOX NAILS EACH END WITH WOOD
STRAP (6 NAILS TOTAL EACH STRAP).



FLOOR JOISTS TIED OVER WOOD BEAM, GIRDER OR PARTITION



JOISTS BEARING ON CONCRETE OR MASONRY



JOIST LAPPING OVER BEAM, GIRDER OR PARTITION

THREE 8d COMMON OR BOX
TOENAILS—EACH JOIST TO
SILL OR GIRDER. ITEM 17
TABLE R602.3(1).